



599 Airport Rd.  
 Lititz, PA 17543  
 855-US-UNIQUE

# MATERIAL SAFETY DATA SHEET

Issue Date : 10/6/14

## SECTION 1 - PRODUCT IDENTIFICATION

Product Name: **UniqueKrete Integral Color (All Colors)**  
 Emergency Number: 1-800-535-5053 Chemtrec  
 Information Number: 717-553-2009

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PROTECTION (Respirator)	

## SECTION 2 - COMPOSITION INFORMATION

<u>Component Name/Formula</u>	<u>CAS No.</u>	<u>% WT</u>	<u>OSHA-PEL</u>	<u>ACGIH-TLV</u>
Inert or nuisance dust				
Total dust		100	15 mg/m <sup>3</sup>	
Respirable			5 mg/m <sup>3</sup>	
Iron oxide fume*	1309-37-1	0	10 mg/m <sup>3</sup> TWA	5 mg/m <sup>3</sup> TWA
Iron oxide (Fe <sub>3</sub> O <sub>4</sub> )	1317-61-9	98		
Total dust			15 mg/m <sup>3</sup> TWA	10 mg/m <sup>3</sup> TWA
Respirable			5 mg/m <sup>3</sup> TWA	

\*Under the normal conditions of use for this product, fumes as Fe<sub>3</sub>O<sub>4</sub> are not present. Iron oxide fume conditions are created under extremely high temperature, as with welding or smelting.

## SECTION 3 – PHYSICAL CHEMICAL CHARACTERISTICS

APPEARANCE:	Dry Powder	COLOR:	Assorted
SPECIFIC GRAVITY:	>1.0	ODOR:	None
BOILING POINT:	N/A	pH:	4.0 – 8.0
MELTING POINT:	> 1000 <sup>0</sup> F	% VOLATILE:	0
VAPOR PRESSURE:	N/A	SOLUBILITY:	insoluble

---

## SECTION 4 – HEALTH HAZARD INFORMATION

**INGESTION:** Not a normal route of exposure. Ingestion of large amounts may cause gastrointestinal disturbances. Symptoms may include salivation, pain, nausea, vomiting and diarrhea.

**INHALATION:** Dust may cause mechanical irritation to the respiratory tract. Excessive exposure above the TLV can cause mild pulmonary irritation.

**EYE CONTACT:** Will result in no specific effects other than mechanical irritation due to abrasion.

**SKIN CONTACT:** Not absorbed by the body, irritation may occur by mechanical abrasion.

**SPECIAL TOXIC EFFECTS:** Prolonged and repeated inhalation of iron dust may result in siderosis or “iron pigmentation”. Siderosis is considered to be a benign condition and does not appear to progress to fibrosis. It generally requires 6-10 years of exposure. Little or no change is found upon physical examination.

---

## SECTION 5 – FIRST AID

**INGESTION:** Give large amounts of water to induce vomiting. Seek medical attention.

**INHALATION:** Remove victim to fresh air. Give artificial respiration if the victim is not breathing. Seek medical attention with any breathing difficulties.

**EYE CONTACT:** Flush thoroughly for 15 minutes with running water. Seek medical attention

**SKIN CONTACT:** Remove contaminated clothing. Wash area with soap and water.

---

## SECTION 6 – FIRE FIGHTING AND EXPLOSION DATA

**FLASH POINT:** Non-flammable

**FLAMMABLE LIMIT:** LEL-N/A UEL-N/A

**EXTINGUISHING MEDIA:** As appropriate for surrounding for surrounding combustibles. Material does not support combustion.

**FIRE FIGHTING EQUIPMENT:** Self contained breathing apparatus and eye protection.

**UNUSUAL FIRE OR EXPLOSION HAZARDS:** None

---

## SECTION 7 – STABILITY AND REACTIVITY DATA

**STABILITY:** Stable

**CONDITIONS TO AVOID:** None

**POLYMERIZATION:** Will not occur

**INCOMPATIBILITY (Materials to Avoid):** None

**HAZARDOUS DECOMPOSITION PRODUCTS:** None

---

## SECTION 8 – HANDLING AND STORAGE

**STORAGE TEMPERATURE:** Ambient

**SHELF LIFE:** Unlimited

**STORAGE PRESSURE:** Atmospheric

**GENERAL:** Avoid excessive moisture, which causes material to clump.

---

## SECTION 9 – ACCIDENTAL RELEASE MEASURES

**GENERAL:** Refer to local, state, or federal regulations for specific disposal information. Pursuant to 40 CFR Part 261 of the Resources Conservation and Recovery Act (RCRA) regulations currently in effect, discarded iron oxide would not be classified as a hazardous waste.

**LAND SPILL:** Vacuum or scoop up spilled material for recovery or disposal, avoid dusting conditions and use good ventilation. Wetting the spill area with water spray may help reduce airborne dust levels.

**WATER SPILL:** Product is inert and stable. Decomposition nor polymerization will occur.

---

## SECTION 10 – EXPOSURE CONTROL AND PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Provide mechanical ventilation of confined spaces.

**PERSONAL PROTECTION:**

**EYE PROTECTION:** Safety glasses or dust tight goggles.

**SKIN PROTECTION:** Gloves appropriate for the job conditions.

**RESPIRATOR:** If exposure limits are exceeded, use an appropriate NIOSH dust respirator.

---

## SECTION 11 – REGULATORY INFORMATION

**DISPOSAL:** Iron oxides are not hazardous wastes per 40 CFR 261.24 or 261.3. However consult with the state environmental regulatory agency before disposing of this material, as state regulations may be stricter than federal regulations.

**SPILL REPORTING:** Iron oxides are not CERCLA hazardous substances, per 40 CFR 302.4. These are not on the list of hazardous substances under the Clean Water Act (40 CFR 116 and 40 CFR 117), nor are they included on the list of Extremely Hazardous Substances under SARA, 40 CFR 355 Appendix A. Thus, there are no Federal reporting requirements in the event of release of these materials.

**SARA REPORTING:** Iron oxides are not subject to the reporting requirements of Section 304 of SARA, since they are not Extremely Hazardous Substances. In addition, these iron oxides are not subject to the reporting requirements of Section 313 of SARA.

---

## SECTION 12 – SHIPPING DATA

D.O.T. SHIPPING NAME ... N/A  
TECHNICAL SHIPPING NAME ... Inorganic Oxide  
D.O.T. HAZARD CLASSIFICATION ..... Non-regulated  
D.O.T. LABEL REQUIRED...N/A  
FREIGHT CLASSIFICATION .... Iron Oxide, NOI

---

## SECTION 13 – SUBSTANCE GOVERNMENTAL REGISTRY

TSCA	(United States)	Yes
EINECS	(European Community)	Yes
DSL	(Canada)	Not Required

[ Reasons For Issue: 29 CFR, Part 1910.1200 ]

---

### WARRANTY DISCLAIMER

The facts stated and recommended regarding UniqueKrete Products are based on our own research and the research of others, and are believed to be accurate. UniqueKrete Products are sold without WARRANTY, expressed or implied, and on the condition that the purchasers conduct their own tests in order to determine the suitability of such for their particular purpose. The user is solely responsible for the use and information regarding UniqueKrete Products. UniqueKrete Products disclaims any liability. UniqueKrete Products disclaims any warranty of merchantability or fitness of this product for any particular purpose.